


1665 - 2015








FEATURES

RigidForm™ Technology

RigidForm 200 (rolled-over nail hem) technology stiffens siding for a straighter-on-the-wall appearance and has been tested* to withstand wind load pressures up to 200 mph.

* Wind load rating per VSI wind speed calculation guidelines.



DuraLock® features an oversized rigid tear-drop shape which is substantially larger than many competitors' locks, providing secure installation.

The angular locking leg creates a secure, snap-fit installation, allowing for necessary expansion and contraction.

7 Product Styles, 24 Colors and 2 Finishes

Triple 3" Brushed Clapboard in desert tan Double 4" Woodgrain Clapboard in cypress

Double 5" Woodgrain Clapboard in silver ash

Double 4" Woodgrain Dutchlap in snow



The STUDfinder™ Installation System

STUDfinder combines precisely spaced nail slots with indicator letters, designed for accurate and secure installation.



STUDfinder for Accuracy

- Nail slots align with 16" on-center standards for stud spacing.
- Indicator letters help:
 - Determine location of studs
 - Ensure nails are positioned correctly
 - Ensure correct number of nails are used





STUDfinder for Security and Performance

- Nailing to studs provides a strong and secure connection.
- Protects against blow offs from under nailing.
- Protects against buckling from over nailing.
- Helps avoid nailing into hazardous items between studs like plumbing or wiring.



FAST FACTS

LOW GLOSS COLORS

Up to 24 Low-Gloss Colors with Coordinating Trim Colors

STYLES AND FINISHES

Double 4" Woodgrain Clapboard Triple 3" Brushed Clapboard Double 5" Woodgrain Clapboard Double 4" Woodgrain Dutchlap Double 5" Woodgrain Dutchlap

Single 8" Woodgrain Clapboard Single 6-1/2" Brushed Beaded

THICKNESS

.042" Nominal

NAIL HEM AND LOCK

STUDfinder™ Installation System RigidForm™ 200 Nail Hem Technology and DuraLock®

Post-Formed Lock

PANEL PROJECTION

9/16"

FIRE RATING

Class 1(A)

WARRANTY

Lifetime Limited with PermaColor™

Lifetime Fade Protection



Single 8"

Woodgrain

Clapboard

Double 5"

Woodgrain

Dutchlap in

Single 6-1/2"

Brushed

Beaded in



Color performance, impact resistance and durability are assured through our exclusive PermaColor™ System, a blend of our own Certavin™ resin, superior micro-ingredients and state-of-the-art pigment chemistry.



Start exploring preset color combinations and create your own custom exterior with on-line, interactive tools, designed to help you "Visualize Your Home".

Start now at certainteed.com/colortools



NOTE: Colors throughout this brochure are simulated. Consult product samples before making final selection.







Polymer Shakes & Shingles



Roofing and Ventilation





Insulated Sidina



PVC Exterior Trim & Beadboard



Decking and Railing



Vinyl Siding



Vinyl Carpentry® Trim



Housewrap



Professional: facebook.com/CertainTeedFreedomofChoice Consumer: facebook.com/CertainTeedLivingSpaces

[Be Certain] Confidence worth building on:

ASK ABOUT OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING . SIDING . TRIM . DECKING . RAILING . FENCE GYPSUM . CEILINGS . INSULATION

www.certainteed.com

http://blog.certainteed.com

CertainTeed Corporation P.O. Box 860

Code No. CTS130

Valley Forge, PA 19482 Professional: 800-233-8990

Consumer: 800-782-8777 $\ensuremath{\text{@}}$ 1/15 CertainTeed Corporation, Printed in U.S.A.

